	Application No.	Applicant(s)
	09/932,136	CHAUVEL ET AL.
Notice of Allowability	Examiner	Art Unit
	Lisa Hashem	2614
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>2-13-2006</u> .		
2. The allowed claim(s) is/are <u>1,4-7,10-12 and 14-25</u> .		
 3.		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 08), 7. ⊠ Examiner's Amendr	te nent/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	 9.	
		V

Response to Arguments

Applicant's arguments, see After Final Amendment, filed 2-13-2006, with respect to double patenting rejections of claims 1, 4-7, 10-12, and 14-25 have been fully considered and are persuasive. Claims 1, 4-7, 10-12, and 14-25 recite subject matter of the claims of the instant application not made obvious by the claims of the cited references in the Final Action filed on 12-15-2005. Therefore, the double patenting rejections of claims 1, 4-7, 10-12, and 14-25 have been withdrawn.

Allowable Subject Matter

2. The following is an examiner's statement of reasons for allowance: upon close review of the claims, the prior art, and applicant's remarks it appears that the allowance of claims 1, 4-7, 10-12, and 14-25 are appropriate.

The multitask processing system mounted on mobile body communication equipment of European Patent Application No. 0 794 481 A2 by Gouzu is equivalent to the claimed processing device for multitasking multiple. Although Gouzu teaches circuitry for receiving a first task identifier indicative of an active task in a processing component (Figure 4, 3: Task Request Means; page 4, lines 7-8; page 8, line 19), a memory in the comparator for storing a second task identifier indicating a task to be monitored (Figure 4, 6: Task Managing Means; page 8, lines 20-22; Figure 5, S213), a comparator for comparing the first and second task identifiers and generating a predetermined signal if the first and second task identifiers match (Figure 4, 6; page 8, line 23), and circuitry for measuring activity of certain devices responsive to said predetermined signal (Figure 4, 202: Power Consumption Calculating Means; page 8, lines 24-46), Gouzu fails to teach measuring activity corresponding to the task to be monitored by

Application/Control Number: 09/932,136

Art Unit: 2614

counting hardware activity signals received during generation of a predetermined signal and a

plurality of counters, each counter corresponding to one of stored plurality of second task

identifiers, each counter enabled to count said hardware activity signals when said comparator

generates a corresponding predetermined second task identifier match signal.

3. Any comments considered necessary by applicant must be submitted no later than the

payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure: see PTO-892 form.

5. Any response to this action should be mailed to:

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Or faxed to:

(571) 273-8300 (for formal communications intended for entry)

Or call:

(571) 272-2600 (for customer service assistance)

6. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Lisa Hashem whose telephone number is (571) 272-7542. The

examiner can normally be reached on M-F 8:30-5:30.

Page 3

Application/Control Number: 09/932,136

Art Unit: 2614

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Fan Tsang can be reached on (571) 272-7547. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group

receptionist whose telephone number is (571) 272-2600.

7. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

February 22, 2006

SORY PATENT EXAMINER TECHNOLOGY CENTER 2600

Page 4